




# Zotti Industrial Co., Ltd



## SKF SYM 2.7/16 TF bearing units

Bearing No. SYM 2.7/16 TF

SYM 2.7/16 TF Bearing 2D drawings and 3D CAD models

Bore Diameter	61,913 mm
d	61,913 mm
s1	39,7 mm
A	65 mm
A1	44 mm
B	69,9 mm
G	20 mm
H	153,5 mm
H1	76,2 mm
H2	38,1 mm
J	203,2 mm
L	260 mm
N	29,5 mm
N1	22 mm
Weight	7,25 Kg
Basic dynamic load rating (C)	62,4 kN
Basic static load rating (C0)	44 kN
Fatigue load limit (Pu)	1,86
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	7.04
EAN	7316571256900
Product Group	M06110
Number of Mounting Holes	2



## Zotti Industrial Co., Ltd

Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	YAR 214-207-2F
Seals	M Seal
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Single Row   Medium Duty   Wide Inner Race   Has Flinger
Long Description	2 Bolt Pillow Block; 2-7/16" Bore; 3" Base to Center Height; Set Screw Mount; Ball Bearing; 7-1/2" Minimum Bolt Spacing; 8-1/2" Bolt Spacing Maximum; Relubricatable; Cast Iron; M S
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	SYM 2.7/16 TF
Weight / LBS	15.5
Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to Center	8 Inch   203 Millimeter
Base to Center Height	3 Inch   76.2 Millimeter



## Zotti Industrial Co., Ltd

Bolt Spacing Maximum	8.5 Inch   215.9Millimeter
Length Thru Bore	2.75 Inch   69.85 Millimeter
Bore	2.438 Inch   61.925 Millimeter
Bolt Spacing Minimum	7.5 Inch   190.5Millimeter